



Docket No.: M1071.1392/P1392

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yutaka Takeshima

Application No.: 09/916,804

Filed: July 27, 2001

For: METHOD OF PRODUCING COMPLEX  
OXIDE THIN-FILM AND PRODUCTION  
APPARATUS

Group Art Unit: 1762

Examiner: M. Barr

RECEIVED  
SEP 26 2003  
TC 1700

**RCE PRELIMINARY AMENDMENT**

MS Non-Fee Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**INTRODUCTORY COMMENTS**

As an RCE Preliminary Amendment and in response to the Office Action dated June 24, 2003, please amend the above-identified U.S. patent application as follows:

**FEE CALCULATION**

Any additional fee required has been calculated as follows:

RECEIVED  
SEP 26 2009  
7C 1700

	No. Claims After Amendment		Highest No. Previously Paid For		Extra Present	Rate	Additional Fee
Total	14	MINUS	20**	=	0	X	\$
Indep.	1	MINUS	3**	=	0	X	\$
First presentation of multiple dependent claim(s)						X	\$
TOTAL							\$ -0-

\* not less than 20

\*\* not less than 3

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 50-2215.

#### CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 50-2215.

#### SUMMARY OF AMENDMENTS

There are no amendments to the specification.

A complete listing of all claims ever present in this case in ascending order with status identifier is presented in a separate section.